NEET UG 2018 Previous Year Paper Shift 1

National Eligibility cum Entrance Test (NEET) • 2018 • 180 questions • 200 minutes • Answer key

Take this paper as a free timed mock test

Practise under exam conditions, then review your answers after you submit.

yourmocktest.com/pyq/neet/neet-ug-2018-previous-year-paper-shift-1

Scan the QR code or click the link to open it.

PHYSICS

Q1. A tuning fork is used to produce resonance in a glass tube. The length of the air column in this tube can be adjusted by a variable piston. At room temperature of 27°C two successive resonances are produced at 20 cm and 73 cm of column length. If the frequency of the tuning fork is 320 Hz, the velocity of sound in air at 27°C is

(a) 330 m/s
(b) 339 m/s
(c) 300 m/s
(d) 350 m/s

Q2. An electron falls from rest through a vertical distance h in a uniform and vertically upward directed electric field E. The direction of electric field is now reversed, keeping its magnitude the same. A proton is allowed to fall from rest in it through the same vertical distance h. The time of fall of the electron, in comparison to the time of fall of the proton is

(a) smaller
(b) 5 times greater
(c) equal
(d) 10 times greater

Q3. A pendulum is hung from the roof of a sufficiently high building and is moving freely to and fro like a simple harmonic oscillator. The acceleration of the bob of the pendulum is 20 m/s² at a distance of 5 m from the mean position. The time period of oscillation is

(a) 2π s
(b) π s
(c) 1 s
(d) 2 s

Q4. The electrostatic force between the metal plates of an isolated parallel plate capacitor C having a charge Q and area A, is

(a) independent of the distance between the plates.
(b) linearly proportional to the distance between the plates.
(c) inversely proportional to the distance between the plates.
(d) proportional to the square root of the distance between the plates.

Q5. Current sensitivity of a moving coil galvanometer is 5 div/mA and its voltage sensitivity (angular deflection per unit voltage applied) is 20 div/V. The resistance of the galvanometer is

(a) 40 Ω
(b) 25 Ω
(c) 500 Ω
(d) 250 Ω

Q6. A thin diamagnetic rod is placed vertically between the poles of an electromagnet. When the current in the electromagnet is switched on, then the diamagnetic rod is pushed up, out of the horizontal magnetic field. Hence the rod gains gravitational potential energy. The work required to do this comes from

(a) the current source

(b) the magnetic field
(c) the induced electric field due to the changing magnetic field
(d) the lattice structure of the material of the rod

Q7. An inductor 20 mH, a capacitor 100 μF and a resistor 50 Ω are connected in series across a source of emf, V = 10 sin 314 t. The power loss in the circuit is
(a) 0·79 W
(b) 0·43 W
(c) 1·13 W
(d) 2·74 W

Q8. A metallic rod of mass per unit length 0·5 kg m^-¹ is lying horizontally on a smooth inclined plane which makes an angle of 30° with the horizontal. The rod is not allowed to slide down by flowing a current through it when a magnetic field of induction 0·25 T is acting on it in the vertical direction. The current flowing in the rod to keep it stationary is
(a) 7·14 A
(b) 5·98 A
(c) 11·32 A
(d) 14·76 A

Q9. A carbon resistor of (47 ± 4·7) kΩ is to be marked with rings of different colours for its identification. The colour code sequence will be
(a) Violet – Yellow – Orange – Silver
(b) Yellow – Violet – Orange – Silver
(c) Green – Orange – Violet – Gold
(d) Yellow – Green – Violet – Gold

Q10. A set of 'n' equal resistors, of value 'R' each, are connected in series to a battery of emf 'E' and internal resistance 'R'. The current drawn is I. Now, the 'n' resistors are connected in parallel to the same battery. Then the current drawn from battery becomes 10 I. The value of 'n' is
(a) 10
(b) 11
(c) 9
(d) 20

Q11. A battery consists of a variable number 'n' of identical cells (having internal resistance 'r' each) which are connected in series. The terminals of the battery are short-circuited and the current I is measured. Which of the graphs shows the correct relationship between I and n ?
(a) Graph of I on y-axis and n on x-axis showing a horizontal straight line
(b) Graph of I on y-axis and n on x-axis showing a straight line passing through the origin
(c) Graph of I on y-axis and n on x-axis showing a curve opening upwards
(d) Graph of I on y-axis and n on x-axis showing a curve opening downwards

Q12. In Young's double slit experiment the separation d between the slits is 2 mm, the wavelength λ of the light used is 5896 Å and distance D between the screen and slits is 100 cm. It is found that the angular width of the fringes is 0·20°. To increase the fringe angular width to 0·21° (with same λ and D) the separation between the slits needs to be changed to
(a) 1·8 mm
(b) 1·9 mm
(c) 1·7 mm
(d) 2·1 mm

Q13. An astronomical refracting telescope will have large angular magnification and high angular resolution, when it has an objective lens of
(a) small focal length and large diameter
(b) large focal length and small diameter
(c) small focal length and small diameter

YourMockTest.com - Free Study Material

(d) large focal length and large diameter

Q14. Unpolarised light is incident from air on a plane surface of a material of refractive index ‘μ’. At a particular angle of incidence ‘i’, it is found that the reflected and refracted rays are perpendicular to each other. Which of the following options is correct for this situation ?

(a) Reflected light is polarised with its electric vector parallel to the plane of incidence

(b) Reflected light is polarised with its electric vector perpendicular to the plane of incidence

(c) i = tan^-¹(1/μ)

(d) i = sin^-¹(1/μ)

Q15. An em wave is propagating in a medium with a velocity V = Vi. The instantaneous oscillating electric field of this em wave is along +y axis. Then the direction of oscillating magnetic field of the em wave will be along

(a) – z direction

(b) • z direction

(c) – x direction

(d) – y direction

Q16. The refractive index of the material of a prism is √2 and the angle of the prism is 30°. One of the two refracting surfaces of the prism is made a mirror inwards, by silver coating. A beam of monochromatic light entering the prism from the other face will retrace its path (after reflection from the silvered surface) if its angle of incidence on the prism is

(a) 60°

(b) 45°

(c) zero

(d) 30°

Q17. An object is placed at a distance of 40 cm from a concave mirror of focal length 15 cm. If the object is displaced through a distance of 20 cm towards the mirror, the displacement of the image will be

(a) 30 cm away from the mirror

(b) 36 cm away from the mirror

(c) 36 cm towards the mirror

(d) 30 cm towards the mirror

Q18. The magnetic potential energy stored in a certain inductor is 25 mJ, when the current in the inductor is 60 mA. This inductor is of inductance

(a) 0·138 H

(b) 138·88 H

(c) 13·89 H

(d) 1·389 H

Q19. For a radioactive material, half-life is 10 minutes. If initially there are 600 number of nuclei, the time taken (in minutes) for the disintegration of 450 nuclei is

(a) 20

(b) 10

(c) 15

(d) 30

Q20. The ratio of kinetic energy to the total energy of an electron in a Bohr orbit of the hydrogen atom, is

(a) 1 : 1

(b) 1 : – 1

(c) 1 : – 2

(d) 2 : – 1

YourMockTest.com — Free Study Material

Q21. An electron of mass m with an initial velocity V = V0î (V0 > 0) enters an electric field E = −E0î (E0 = constant > 0) at t = 0. If λ0 is its de-Broglie wavelength initially, then its de-Broglie wavelength at time t is

(a) λ0 / [1 + (eE0 / mV0)t]
(b) λ0 [1 + (eE0 / mV0)t]
(c) λ0
(d) λ0t

Q22. When the light of frequency 2v0 (where v0 is threshold frequency), is incident on a metal plate, the maximum velocity of electrons emitted is v1. When the frequency of the incident radiation is increased to 5v0, the maximum velocity of electrons emitted from the same plate is v2. The ratio of v1 to v2 is

(a) 1 : 2
(b) 1 : 4
(c) 2 : 1
(d) 4 : 1

Q23. In the combination of the following gates the output Y can be written in terms of inputs A and B as

(a) A.B
(b) A. B + A. B
(c) A+B
(d) A.B + A. B

Q24. In the circuit shown in the figure, the input voltage Vi is 20 V, VBE = 0 and VCE = 0. The values of IB, IC and β are given by

(a) IB = 40 μA, IC = 10 mA, β = 250
(b) IB = 25 μA, IC = 5 mA, β = 200
(c) IB = 40 μA, IC = 5 mA, β = 125
(d) IB = 20 μA, IC = 5 mA, β = 250

Q25. In a p-n junction diode, change in temperature due to heating

(a) affects only reverse resistance
(b) affects only forward resistance
(c) affects the overall V – I characteristics of p-n junction
(d) does not affect resistance of p-n junction

Q26. A solid sphere is rotating freely about its symmetry axis in free space. The radius of the sphere is increased keeping its mass same. Which of the following physical quantities would remain constant for the sphere ?

(a) Angular velocity
(b) Moment of inertia
(c) Angular momentum
(d) Rotational kinetic energy

Q27. The kinetic energies of a planet in an elliptical orbit about the Sun, at positions A, B and C are KA, KB and KC, respectively. AC is the major axis and SB is perpendicular to AC at the position of the Sun S as shown in the figure. Then

(a) KA < KB < KC
(b) KA > KB > KC
(c) KB > KA > KC
(d) KB < KA < KC

Q28. If the mass of the Sun were ten times smaller and the universal gravitational constant were ten times larger in magnitude, which of the following is not correct ?

(a) Raindrops will fall faster.
(b) Walking on the ground would become more difficult.
(c) ‘g’ on the Earth will not change.
(d) Time period of a simple pendulum on the Earth would decrease.

YourMockTest.com — Free Study Material

Q29. A solid sphere is in rolling motion. In rolling motion a body possesses translational kinetic energy (Kt) as well as rotational kinetic energy (Kr) simultaneously. The ratio Kt : (Kt + Kr) for the sphere is

(a) 7 : 10
(b) 5 : 7
(c) 2 : 5
(d) 10 : 7

Q30. A small sphere of radius 'r' falls from rest in a viscous liquid. As a result, heat is produced due to viscous force. The rate of production of heat when the sphere attains its terminal velocity, is proportional to

(a) r^3
(b) r^2
(c) r^4
(d) r^5

Q31. A sample of 0·1 g of water at 100°C and normal pressure (1·013 × 10^5 Nm^-2) requires 54 cal of heat energy to convert to steam at 100°C. If the volume of the steam produced is 167·1 cc, the change in internal energy of the sample, is

(a) 104·3 J
(b) 208·7 J
(c) 84·5 J
(d) 42·2 J

Q32. Two wires are made of the same material and have the same volume. The first wire has cross-sectional area A and the second wire has cross-sectional area 3A. If the length of the first wire is increased by Δl on applying a force F, how much force is needed to stretch the second wire by the same amount ?

(a) 9 F
(b) 6 F
(c) F
(d) 4 F

Q33. The power radiated by a black body is P and it radiates maximum energy at wavelength, λ0. If the temperature of the black body is now changed so that it radiates maximum energy at wavelength (3/4)λ0, the power radiated by it becomes nP. The value of n is

(a) 3 / 4
(b) 4 / 3
(c) 256 / 81
(d) 81 / 256

Q34. At what temperature will the rms speed of oxygen molecules become just sufficient for escaping from the Earth's atmosphere ?

(Given :

Mass of oxygen molecule (m) = 2·76 × 10^-2^6 kg

Boltzmann's constant kB = 1·38 × 10^-23 J K^-1)

(a) 2·508 × 10^4 K
(b) 8·360 × 10^4 K
(c) 1·254 × 10^4 K
(d) 5·016 × 10^4 K

Q35. The volume (V) of a monatomic gas varies with its temperature (T), as shown in the graph. The ratio of work done by the gas, to the heat absorbed by it, when it undergoes a change from state A to state B, is

(a) 2/5
(b) 2/3
(c) 2/7
(d) 1/3

Q36. The fundamental frequency in an open organ pipe is equal to the third harmonic of a closed organ pipe. If the length of the closed organ pipe is 20 cm, the length of the open organ pipe is

(a) 13·2 cm
(b) 8 cm
(c) 16 cm
(d) 12·5 cm

Q37. The efficiency of an ideal heat engine working between the freezing point and boiling point of water, is

(a) 26·8%
(b) 20%
(c) 12·5%
(d) 6·25%

Q38. A body initially at rest and sliding along a frictionless track from a height h (as shown in the figure) just completes a vertical circle of diameter AB = D. The height h is equal to

(a) 3/2 D
(b) D
(c) 5/4 D
(d) 7/5 D

Q39. Three objects, A : (a solid sphere), B : (a thin circular disk) and C : (a circular ring), each have the same mass M and radius R. They all spin with the same angular speed ω about their own symmetry axes. The amounts of work (W) required to bring them to rest, would satisfy the relation

(a) WC > WB > WA
(b) WA > WB > WC
(c) WA > WC > WB
(d) WB > WA > WC

Q40. Which one of the following statements is incorrect ?

(a) Rolling friction is smaller than sliding friction.
(b) Limiting value of static friction is directly proportional to normal reaction.
(c) Coefficient of sliding friction has dimensions of length.
(d) Frictional force opposes the relative motion.

Q41. A moving block having mass m, collides with another stationary block having mass 4m. The lighter block comes to rest after collision. When the initial velocity of the lighter block is v, then the value of coefficient of restitution (e) will be

(a) 0·5
(b) 0·25
(c) 0·4
(d) 0·8

Q42. A block of mass m is placed on a smooth inclined wedge ABC of inclination θ as shown in the figure. The wedge is given an acceleration ‘a’ towards the right. The relation between a and θ for the block to remain stationary on the wedge is

(a) a = g / cosec θ
(b) a = g / sin θ
(c) a = g tan θ
(d) a = g cos θ

Q43. A toy car with charge q moves on a frictionless horizontal plane surface under the influence of a uniform electric field [Formula above]. Due to the force [Formula above], its velocity increases from 0 to 6 m/s in one second duration. At that instant the direction of the field is reversed. The car continues to move for two more seconds under the influence of this field. The average velocity and the average speed of the toy car between 0 to 3 seconds are respectively

(a) 2 m/s, 4 m/s
(b) 1 m/s, 3 m/s

YourMockTest.com — Free Study Material

(c) 1·5 m/s, 3 m/s
(d) 1 m/s, 3·5 m/s

Q44. The moment of the force, [Formula above] at (2, 0, – 3), about the point (2, – 2, – 2), is given by
(a) – 8 i – 4 j – 7 k
(b) – 4 i – j – 8 k
(c) – 7 i – 4 j – 8 k
(d) – 7 i – 8 j – 4 k

Q45. A student measured the diameter of a small steel ball using a screw gauge of least count 0·001 cm. The main scale reading is 5 mm and zero of circular scale division coincides with 25 divisions above the reference level. If screw gauge has a zero error of – 0·004 cm, the correct diameter of the ball is
(a) 0·521 cm
(b) 0·525 cm
(c) 0·529 cm
(d) 0·053 cm

Q46. The difference between spermiogenesis and spermiation is
(a) In spermiogenesis spermatids are formed, while in spermiation spermatozoa are formed.
(b) In spermiogenesis spermatozoa are formed, while in spermiation spermatids are formed.
(c) In spermiogenesis spermatozoa are formed, while in spermiation spermatozoa are released from sertoli cells into the cavity of seminiferous tubules.
(d) In spermiogenesis spermatozoa from sertoli cells are released into the cavity of seminiferous tubules, while in spermiation spermatozoa are formed.

Q47. The amnion of mammalian embryo is derived from
(a) ectoderm and mesoderm
(b) endoderm and mesoderm
(c) ectoderm and endoderm
(d) mesoderm and trophoblast

Q48. The contraceptive ‘SAHELI’
(a) blocks estrogen receptors in the uterus, preventing eggs from getting implanted.
(b) increases the concentration of estrogen and prevents ovulation in females.
(c) is a post-coital contraceptive.
(d) is an IUD.

Q49. Hormones secreted by the placenta to maintain pregnancy are
(a) hCG, hPL, progestogens, prolactin
(b) hCG, hPL, estrogens, relaxin, oxytocin
(c) hCG, progestogens, estrogens, glucocorticoids
(d) hCG, hPL, progestogens, estrogens

Q50. Match the items given in Column I with those in Column II and select the correct option given below :

Column I	Column II
a. Proliferative Phase	i. Breakdown of endometrial lining
b. Secretory Phase	ii. Follicular Phase
c. Menstruation	iii. Luteal Phase

a b c
(a) iii ii i
(b) i iii ii
(c) iii i ii
(d) ii iii i

YourMockTest.com — Free Study Material

CHEMISTRY

Q51. All of the following are part of an operon except

(a) an operator
(b) structural genes
(c) a promoter
(d) an enhancer

Q52. A woman has an X-linked condition on one of her X chromosomes. This chromosome can be inherited by

(a) Only daughters
(b) Only sons
(c) Both sons and daughters
(d) Only grandchildren

Q53. According to Hugo de Vries, the mechanism of evolution is

(a) Multiple step mutations
(b) Saltation
(c) Minor mutations
(d) Phenotypic variations

Q54. AGGTATCGCAT is a sequence from the coding strand of a gene. What will be the corresponding sequence of the transcribed mRNA ?

(a) AGGUAUCGCAU
(b) UGGTUTCGCAT
(c) UCCAUAGCGUA
(d) ACCUAUGCGAU

Q55. Among the following sets of examples for divergent evolution, select the incorrect option :

(a) Forelimbs of man, bat and cheetah
(b) Heart of bat, man and cheetah
(c) Eye of octopus, bat and man
(d) Brain of bat, man and cheetah

Q56. Conversion of milk to curd improves its nutritional value by increasing the amount of

(a) Vitamin D
(b) Vitamin A
(c) Vitamin E
(d) Vitamin B12

Q57. Which of the following is not an autoimmune disease ?

(a) Psoriasis
(b) Rheumatoid arthritis
(c) Vitiligo
(d) Alzheimer’s disease

Q58. The similarity of bone structure in the forelimbs of many vertebrates is an example of

(a) Homology
(b) Analogy
(c) Adaptive radiation
(d) Convergent evolution

Q59. Which of the following characteristics represent ‘Inheritance of blood groups’ in humans ?

a. Dominance
b. Co-dominance

YourMockTest.com — Free Study Material

c. Multiple allele
d. Incomplete dominance
e. Polygenic inheritance

(a) b, c and e
(b) a, b and c
(c) a, c and e
(d) b, d and e

Q60. In which disease does mosquito transmitted pathogen cause chronic inflammation of lymphatic vessels ?

(a) Elephantiasis
(b) Ascariasis
(c) Amoebiasis
(d) Ringworm disease

Q61. All of the following are included in 'Ex-situ conservation' except

(a) Wildlife safari parks
(b) Sacred groves
(c) Seed banks
(d) Botanical gardens

Q62. Which part of poppy plant is used to obtain the drug "Smack" ?

(a) Flowers
(b) Latex
(c) Leaves
(d) Roots

Q63. In a growing population of a country,

(a) pre-reproductive individuals are more than the reproductive individuals.
(b) reproductive individuals are less than the post-reproductive individuals.
(c) pre-reproductive individuals are less than the reproductive individuals.
(d) reproductive and pre-reproductive individuals are equal in number.

Q64. Which one of the following population interactions is widely used in medical science for the production of antibiotics ?

(a) Commensalism
(b) Mutualism
(c) Amensalism
(d) Parasitism

Q65. Match the items given in Column I with those in Column II and select the correct option given below :

Column I	Column II
a. Eutrophication	i. UV-B radiation
b. Sanitary landfill	ii. Deforestation
c. Snow blindness	iii. Nutrient enrichment
d. Jhum cultivation	iv. Waste disposal

a b c d

(a) ii i iii iv
(b) i iii iv ii
(c) i ii iv iii
(d) iii iv i ii

YourMockTest.com — Free Study Material

Q66. Which of the following options correctly represents the lung conditions in asthma and emphysema, respectively ?

(a) Inflammation of bronchioles; Decreased respiratory surface
(b) Increased number of bronchioles; Increased respiratory surface
(c) Decreased respiratory surface; Inflammation of bronchioles
(d) Increased respiratory surface; Inflammation of bronchioles

Q67. Match the items given in Column I with those in Column II and select the correct option given below :

Column I	Column II
a. Tricuspid valve	i. Between left atrium and left ventricle
b. Bicuspid valve	ii. Between right ventricle and pulmonary artery
c. Semilunar valve	iii. Between right atrium and right ventricle

a b c

(a) iii i ii
(b) i iii ii
(c) ii i iii
(d) i ii iii

Q68. Match the items given in Column I with those in Column II and select the correct option given below :

Column I	Column II
a. Tidal volume	i. 2500 – 3000 mL
b. Inspiratory Reserve volume	ii. 1100 – 1200 mL
c. Expiratory Reserve volume	iii. 500 – 550 mL
d. Residual volume	iv. 1000 – 1100 mL

a b c d

(a) iii ii i iv
(b) iii i iv ii
(c) iv iii ii i
(d) i iv ii iii

Q69. Which of the following is an amino acid derived hormone ?

(a) Epinephrine
(b) Ecdysone
(c) Estriol
(d) Estradiol

Q70. Which of the following structures or regions is incorrectly paired with its function ?

(a) Medulla oblongata : controls respiration and cardiovascular reflexes.
(b) Limbic system : consists of fibre tracts that interconnect different regions of brain; controls movement.
(c) Corpus callosum : band of fibers connecting left and right cerebral hemispheres.
(d) Hypothalamus : production of releasing hormones and regulation of temperature, hunger and thirst.

Q71. The transparent lens in the human eye is held in its place by

(a) ligaments attached to the ciliary body
(b) ligaments attached to the iris
(c) smooth muscles attached to the ciliary body
(d) smooth muscles attached to the iris

YourMockTest.com — Free Study Material

Q72. Which of the following hormones can play a significant role in osteoporosis ?

(a) Aldosterone and Prolactin
(b) Progesterone and Aldosterone
(c) Parathyroid hormone and Prolactin
(d) Estrogen and Parathyroid hormone

Q73. Which of the following gastric cells indirectly help in erythropoiesis ?

(a) Chief cells
(b) Mucous cells
(c) Parietal cells
(d) Goblet cells

Q74. Match the items given in Column I with those in Column II and select the correct option given below :

Column I	Column II
a. Fibrinogen	i. Osmotic balance
b. Globulin	ii. Blood clotting
c. Albumin	iii. Defence mechanism

a b c

(a) iii ii i
(b) i ii iii
(c) ii iii i
(d) i iii ii

Q75. Which of the following is an occupational respiratory disorder ?

(a) Anthracis
(b) Silicosis
(c) Emphysema
(d) Botulism

Q76. Calcium is important in skeletal muscle contraction because it

(a) binds to troponin to remove the masking of active sites on actin for myosin.
(b) activates the myosin ATPase by binding to it.
(c) prevents the formation of bonds between the myosin cross bridges and the actin filament.
(d) detaches the myosin head from the actin filament.

Q77. Select the incorrect match :

(a) Lampbrush chromosomes – Diplotene bivalents
(b) Allosomes – Sex chromosomes
(c) Polytene chromosomes – Oocytes of amphibians
(d) Submetacentric chromosomes – L-shaped chromosomes

Q78. Nissl bodies are mainly composed of

(a) Proteins and lipids
(b) DNA and RNA
(c) Free ribosomes and RER
(d) Nucleic acids and SER

Q79. Which of these statements is incorrect ?

(a) Enzymes of TCA cycle are present in mitochondrial matrix.
(b) Glycolysis occurs in cytosol.
(c) Oxidative phosphorylation takes place in outer mitochondrial membrane.
(d) Glycolysis operates as long as it is supplied with NAD that can pick up hydrogen atoms.

YourMockTest.com — Free Study Material

Q80. Which of the following events does not occur in rough endoplasmic reticulum ?

(a) Protein folding
(b) Protein glycosylation
(c) Phospholipid synthesis
(d) Cleavage of signal peptide

Q81. Many ribosomes may associate with a single mRNA to form multiple copies of a polypeptide simultaneously. Such strings of ribosomes are termed as

(a) Polysome
(b) Polyhedral bodies
(c) Nucleosome
(d) Plastidome

Q82. Which of the following terms describe human dentition ?

(a) Thecodont, Diphyodont, Homodont
(b) Thecodont, Diphyodont, Heterodont
(c) Pleurodont, Diphyodont, Heterodont
(d) Pleurodont, Monophyodont, Homodont

Q83. Identify the vertebrate group of animals characterized by crop and gizzard in its digestive system.

(a) Amphibia
(b) Reptilia
(c) Osteichthyes
(d) Aves

Q84. Which one of these animals is not a homeotherm ?

(a) Macropus
(b) Chelone
(c) Psittacula
(d) Camelus

Q85. Which of the following features is used to identify a male cockroach from a female cockroach ?

(a) Presence of a boat shaped sternum on the 9th abdominal segment
(b) Presence of caudal styles
(c) Presence of anal cerci
(d) Forewings with darker tegmina

Q86. Which of the following organisms are known as chief producers in the oceans ?

(a) Dinoflagellates
(b) Diatoms
(c) Euglenoids
(d) Cyanobacteria

Q87. Ciliates differ from all other protozoans in

(a) using flagella for locomotion
(b) having a contractile vacuole for removing excess water
(c) having two types of nuclei
(d) using pseudopodia for capturing prey

Q88. Which of the following animals does not undergo metamorphosis ?

(a) Earthworm
(b) Tunicate
(c) Starfish
(d) Moth

YourMockTest.com — Free Study Material

Q89. Match the items given in Column I with those in Column II and select the correct option given below :

Column I (Function)	Column II (Part of Excretory System)
a. Ultrafiltration	i. Henle's loop
b. Concentration of urine	ii. Ureter
c. Transport of urine	iii. Urinary bladder
d. Storage of urine	iv. Malpighian corpuscle
	v. Proximal convoluted tubule

a b c d

(a) iv v ii iii
(b) iv i ii iii
(c) v iv i iii
(d) v iv i ii

Q90. Match the items given in Column I with those in Column II and select the correct option given below :

Column I	Column II
a. Glycosuria	i. Accumulation of uric acid in joints
b. Gout	ii. Mass of crystallised salts within the kidney
c. Renal calculi	iii. Inflammation in glomeruli
d. Glomerular nephritis	iv. Presence of glucose in urine

a b c d

(a) iii ii iv i
(b) i ii iii iv
(c) iv i ii iii
(d) ii iii i iv

Q91. What is the role of NAD^+ in cellular respiration ?

(a) It functions as an enzyme.
(b) It functions as an electron carrier.
(c) It is the final electron acceptor for anaerobic respiration.
(d) It is a nucleotide source for ATP synthesis.

Q92. Which one of the following plants shows a very close relationship with a species of moth, where none of the two can complete its life cycle without the other ?

(a) Hydrilla
(b) Yucca
(c) Viola
(d) Banana

Q93. Oxygen is not produced during photosynthesis by

(a) Green sulphur bacteria
(b) Nostoc
(c) Chara
(d) Cycas

Q94. In which of the following forms is iron absorbed by plants ?

(a) Ferric
(b) Ferrous
(c) Both ferric and ferrous
(d) Free element

YourMockTest.com — Free Study Material

Q95. Double fertilization is

(a) Fusion of two male gametes of a pollen tube with two different eggs
(b) Fusion of one male gamete with two polar nuclei
(c) Syngamy and triple fusion
(d) Fusion of two male gametes with one egg

Q96. Which of the following elements is responsible for maintaining turgor in cells ?

(a) Magnesium
(b) Sodium
(c) Calcium
(d) Potassium

Q97. Pollen grains can be stored for several years in liquid nitrogen having a temperature of

(a) – 120°C
(b) – 80°C
(c) – 160°C
(d) – 196°C

Q98. Which among the following is not a prokaryote ?

(a) Saccharomyces
(b) Mycobacterium
(c) Oscillatoria
(d) Nostoc

Q99. The two functional groups characteristic of sugars are

(a) hydroxyl and methyl
(b) carbonyl and methyl
(c) carbonyl and hydroxyl
(d) carbonyl and phosphate

Q100. Which of the following is not a product of light reaction of photosynthesis ?

(a) ATP
(b) NADH
(c) Oxygen
(d) NADPH

BOTANY

Q101. Stomatal movement is not affected by

(a) Temperature
(b) Light
(c) CO2 concentration
(d) O2 concentration

Q102. The Golgi complex participates in

(a) Fatty acid breakdown
(b) Formation of secretory vesicles
(c) Activation of amino acid
(d) Respiration in bacteria

Q103. Which of the following is true for nucleolus ?

(a) Larger nucleoli are present in dividing cells.
(b) It is a membrane-bound structure.
(c) It is a site for active ribosomal RNA synthesis.
(d) It takes part in spindle formation.

YourMockTest.com — Free Study Material

Q104. Stomata in grass leaf are

(a) Dumb-bell shaped
(b) Kidney shaped
(c) Barrel shaped
(d) Rectangular

Q105. The stage during which separation of the paired homologous chromosomes begins is

(a) Pachytene
(b) Diplotene
(c) Zygotene
(d) Diakinesis

Q106. Which of the following is commonly used as a vector for introducing a DNA fragment in human lymphocytes ?

(a) Retrovirus
(b) Ti plasmid
(c) pBR 322
(d) λ phage

Q107. Use of bioresources by multinational companies and organisations without authorisation from the concerned country and its people is called

(a) Bio-infringement
(b) Biopiracy
(c) Bioexploitation
(d) Biodegradation

Q108. In India, the organisation responsible for assessing the safety of introducing genetically modified organisms for public use is

(a) Indian Council of Medical Research (ICMR)
(b) Council for Scientific and Industrial Research (CSIR)
(c) Genetic Engineering Appraisal Committee (GEAC)
(d) Research Committee on Genetic Manipulation (RCGM)

Q109. The correct order of steps in Polymerase Chain Reaction (PCR) is

(a) Extension, Denaturation, Annealing
(b) Annealing, Extension, Denaturation
(c) Denaturation, Annealing, Extension
(d) Denaturation, Extension, Annealing

Q110. Select the correct match :

(a) Ribozyme - Nucleic acid
(b) F2 × Recessive parent - Dihybrid cross
(c) G. Mendel - Transformation
(d) T.H. Morgan - Transduction

Q111. A ‘new’ variety of rice was patented by a foreign company, though such varieties have been present in India for a long time. This is related to

(a) Co-667
(b) Sharbati Sonora
(c) Basmati
(d) Lerma Rojo

Q112. Select the correct match :

(a) Alec Jeffreys - Streptococcus pneumoniae
(b) Alfred Hershey and Martha Chase - TMV
(c) Francois Jacob and Jacques Monod - Lac operon

YourMockTest.com — Free Study Material

(d) Matthew Meselson and F. Stahl - Pisum sativum

Q113. Which of the following has proved helpful in preserving pollen as fossils ?

(a) Pollenkitt
(b) Cellulosic intine
(c) Sporopollenin
(d) Oil content

Q114. The experimental proof for semiconservative replication of DNA was first shown in a

(a) Fungus
(b) Bacterium
(c) Virus
(d) Plant

Q115. Which of the following pairs is wrongly matched ?

(a) Starch synthesis in pea : Multiple alleles
(b) ABO blood grouping : Co-dominance
(c) T.H. Morgan : Linkage
(d) XO type sex determination : Grasshopper

Q116. Offsets are produced by

(a) Meiotic divisions
(b) Mitotic divisions
(c) Parthenogenesis
(d) Parthenocarpy

Q117. Select the correct statement :

(a) Franklin Stahl coined the term ‘‘linkage’’.
(b) Punnett square was developed by a British scientist.
(c) Transduction was discovered by S. Altman.
(d) Spliceosomes take part in translation.

Q118. Which of the following flowers only once in its life-time ?

(a) Bamboo species
(b) Jackfruit
(c) Papaya
(d) Mango

Q119. Niche is

(a) all the biological factors in the organism’s environment
(b) the physical space where an organism lives
(c) the functional role played by the organism where it lives
(d) the range of temperature that the organism needs to live

Q120. In stratosphere, which of the following elements acts as a catalyst in degradation of ozone and release of molecular oxygen ?

(a) Carbon
(b) Cl
(c) Oxygen
(d) Fe

Q121. What type of ecological pyramid would be obtained with the following data ?

Secondary consumer : 120 g
Primary consumer : 60 g
Primary producer : 10 g

YourMockTest.com — Free Study Material

(a) Inverted pyramid of biomass
(b) Pyramid of energy
(c) Upright pyramid of biomass
(d) Upright pyramid of numbers

Q122. Which of the following is a secondary pollutant ?

(a) CO
(b) CO2
(c) O3
(d) SO2

Q123. World Ozone Day is celebrated on

(a) 5th June
(b) 21st April
(c) 22nd April
(d) 16th September

Q124. Natality refers to

(a) Death rate
(b) Birth rate
(c) Number of individuals entering a habitat
(d) Number of individuals leaving the habitat

Q125. Match the items given in Column I with those in Column II and select the correct option given below :

Column I	Column II
a. Herbarium	i. It is a place having a collection of preserved plants and animals.
b. Key	ii. A list that enumerates methodically all the species found in an area with brief description aiding identification.
c. Museum	iii. Is a place where dried and pressed plant specimens mounted on sheets are kept.
d. Catalogue	iv. A booklet containing a list of characters and their alternates which are helpful in identification of various taxa.

a b c d

(a) i iv iii ii
(b) iii ii i iv
(c) iii iv i ii
(d) ii iv iii i

Q126. Which one is wrongly matched ?

(a) Uniflagellate gametes - Polysiphonia
(b) Biflagellate zoospores - Brown algae
(c) Unicellular organism - Chlorella
(d) Gemma cups - Marchantia

Q127. After karyogamy followed by meiosis, spores are produced exogenously in

(a) Neurospora
(b) Alternaria
(c) Saccharomyces
(d) Agaricus

YourMockTest.com — Free Study Material

Q128. Winged pollen grains are present in

(a) Mustard
(b) Cycas
(c) Pinus
(d) Mango

Q129. Pneumatophores occur in

(a) Halophytes
(b) Free-floating hydrophytes
(c) Submerged hydrophytes
(d) Carnivorous plants

Q130. Plants having little or no secondary growth are

(a) Grasses
(b) Deciduous angiosperms
(c) Cycads
(d) Conifers

Q131. Casparian strips occur in

(a) Epidermis
(b) Pericycle
(c) Endodermis
(d) Cortex

Q132. Secondary xylem and phloem in dicot stem are produced by

(a) Apical meristems
(b) Vascular cambium
(c) Axillary meristems
(d) Phellogen

Q133. Select the wrong statement :

(a) Cell wall is present in members of Fungi and Plantae.
(b) Mushrooms belong to Basidiomycetes.
(c) Mitochondria are the powerhouse of the cell in all kingdoms except Monera.
(d) Pseudopodia are locomotory and feeding structures in Sporozoans.

Q134. Which of the following statements is correct ?

(a) Ovules are not enclosed by ovary wall in gymnosperms.
(b) Selaginella is heterosporous, while Salvinia is homosporous.
(c) Stems are usually unbranched in both Cycas and Cedrus.
(d) Horsetails are gymnosperms.

Q135. Sweet potato is a modified

(a) Stem
(b) Adventitious root
(c) Rhizome
(d) Tap root

Q136. The correct order of N-compounds in its decreasing order of oxidation states is

(a) HNO_3, NO, N_2, NH_4Cl
(b) HNO_3, NO, NH_4Cl, N_2
(c) NH_4Cl, N_2, NO, HNO_3
(d) HNO_3, NH_4Cl, NO, N_2

YourMockTest.com — Free Study Material

Q137. The correct order of atomic radii in group 13 elements is

(a) B < Al < In < Ga < Tl
(b) B < Al < Ga < In < Tl
(c) B < Ga < Al < In < Tl
(d) B < Ga < Al < Tl < In

Q138. Considering Ellingham diagram, which of the following metals can be used to reduce alumina ?

(a) Fe
(b) Zn
(c) Cu
(d) Mg

Q139. Which one of the following elements is unable to form MF6³^- ion ?

(a) Ga
(b) Al
(c) In
(d) B

Q140. Which of the following statements is not true for halogens ?

(a) All form monobasic oxyacids.
(b) All are oxidizing agents.
(c) Chlorine has the highest electron-gain enthalpy.
(d) All but fluorine show positive oxidation states.

Q141. In the structure of ClF3, the number of lone pairs of electrons on central atom 'Cl' is

(a) one
(b) two
(c) three
(d) four

Q142. The difference between amylose and amylopectin is

(a) Amylopectin have 1 → 4 α-linkage and 1 → 6 α-linkage
(b) Amylose have 1 → 4 α-linkage and 1 → 6 β-linkage
(c) Amylose is made up of glucose and galactose
(d) Amylopectin have 1 → 4 α-linkage and 1 → 6 β-linkage

Q143. Regarding cross-linked or network polymers, which of the following statements is incorrect ?

(a) They contain covalent bonds between various linear polymer chains.
(b) They are formed from bi- and tri-functional monomers.
(c) They contain strong covalent bonds in their polymer chains.
(d) Examples are bakelite and melamine.

Q144. A mixture of 2·3 g formic acid and 4·5 g oxalic acid is treated with conc. H2SO4. The evolved gaseous mixture is passed through KOH pellets. Weight (in g) of the remaining product at STP will be

(a) 1·4
(b) 3·0
(c) 4·4
(d) 2·8

Q145. Which of the following oxides is most acidic in nature ?

(a) MgO
(b) BeO
(c) CaO
(d) BaO

YourMockTest.com — Free Study Material

Q146. Nitration of aniline in strong acidic medium also gives m-nitroaniline because

(a) In spite of substituents nitro group always goes to only m-position.
(b) In electrophilic substitution reactions amino group is meta directive.
(c) In acidic (strong) medium aniline is present as anilinium ion.
(d) In absence of substituents nitro group always goes to m-position.

Q147. The compound A on treatment with Na gives B, and with PCl_5 gives C. B and C react together to give diethyl ether. A, B and C are in the order

(a) C_2H_5OH, C_2H_6, C_2H_5Cl
(b) C_2H_5OH, C_2H_5Cl, C_2H_5ONa
(c) C_2H_5OH, C_2H_5ONa, C_2H_5Cl
(d) C_2H_5Cl, C_2H_6, C_2H_5OH

Q148. Hydrocarbon (A) reacts with bromine by substitution to form an alkyl bromide which by Wurtz reaction is converted to gaseous hydrocarbon containing less than four carbon atoms. (A) is

(a) CH ≡ CH
(b) $CH_2 = CH_2$
(c) CH_4
(d) $CH_3 – CH_3$

Q149. The compound C_7H_8 undergoes the following reactions :

[Formula above]

The product 'C' is

(a) m-bromotoluene
(b) o-bromotoluene
(c) p-bromotoluene
(d) 3-bromo-2,4,6-trichlorotoluene

Q150. Which oxide of nitrogen is not a common pollutant introduced into the atmosphere both due to natural and human activity ?

(a) N_2O_5
(b) NO_2
(c) NO
(d) N_2O

ZOOLOGY

Q151. Which of the following molecules represents the order of hybridisation sp^2, sp^2, sp, sp from left to right atoms ?

(a) HC ≡ C – C ≡ CH
(b) $CH_2 = CH – C ≡ CH$
(c) $CH_3 – CH = CH – CH_3$
(d) $CH_2 = CH – CH = CH_2$

Q152. Which of the following carbocations is expected to be most stable ?

[Figure: see this question online]

(a) NO_2
(+)
Y H
(b) NO_2
(+)
Y H
(c) NO_2
H
(+)

Y

(d) NO2

H

Y

(+)

Q153. Which of the following is correct with respect to – I effect of the substituents ? (R = alkyl)

(a) – NH2 < – OR < – F

(b) – NR2 < – OR < – F

(c) – NR2 > – OR > – F

(d) – NH2 > – OR > – F

Q154. In the reaction

OH

O–Na+

• CHCl3 + NaOH → CHO

the electrophile involved is

(a) dichloromethyl cation ((+)CHCl2)

(b) formyl cation ((+)CHO)

(c) dichlorocarbene (:CCl2)

(d) dichloromethyl anion ((-)CHCl2)

Q155. Carboxylic acids have higher boiling points than aldehydes, ketones and even alcohols of comparable molecular mass. It is due to their

(a) formation of intramolecular H-bonding

(b) formation of carboxylate ion

(c) formation of intermolecular H-bonding

(d) more extensive association of carboxylic acid via van der Waals force of attraction

Q156. Compound A, C8H10O, is found to react with NaOI (produced by reacting Y with NaOH) and yields a yellow precipitate with characteristic smell.

A and Y are respectively

[Figure: see this question online]

(a) H3C – CH2 – OH and I2

(b) – CH2 – CH2 – OH and I2

(c) CH3 – CH3 OH and I2

(d) – CH – CH3 and I2

|

OH

Q157. Identify the major products P, Q and R in the following sequence of reactions :

[Formula above]

[Figure: see this question online]

(a) P: CH2CH2CH3, Q: CHO, R: CH3CH2 – OH

(b) P: CH2CH2CH3, Q: CHO, R: COOH

(c) P: CH(CH3)2, Q: OH, R: CH3 – CO – CH3

(d) P: CH(CH3)2, Q: OH, R: CH3CH(OH)CH3

Q158. Which of the following compounds can form a zwitterion ?

(a) Aniline

(b) Acetanilide

(c) Glycine

(d) Benzoic acid

YourMockTest.com — Free Study Material

Q159. For the redox reaction

$MnO_4^- + C_2O_4^{2-} + H^+ \rightarrow Mn^{2+} + CO_2 + H_2O$

the correct coefficients of the reactants for the balanced equation are

| MnO_4^- | $C_2O_4^{2-}$ | H^+ |

(a) 16, 5, 2
(b) 2, 5, 16
(c) 5, 16, 2
(d) 2, 16, 5

Q160. Which one of the following conditions will favour maximum formation of the product in the reaction,

$A_2(g) + B_2(g) \Leftrightarrow X_2(g)\ \Delta rH = -X$ kJ ?

(a) Low temperature and high pressure
(b) Low temperature and low pressure
(c) High temperature and low pressure
(d) High temperature and high pressure

Q161. When initial concentration of the reactant is doubled, the half-life period of a zero order reaction
(a) is halved
(b) is doubled
(c) remains unchanged
(d) is tripled

Q162. The correction factor 'a' to the ideal gas equation corresponds to
(a) density of the gas molecules
(b) volume of the gas molecules
(c) forces of attraction between the gas molecules
(d) electric field present between the gas molecules

Q163. The bond dissociation energies of X_2, Y_2 and XY are in the ratio of 1 : 0·5 : 1. ΔH for the formation of XY is – 200 kJ mol^{-1}. The bond dissociation energy of X_2 will be
(a) 200 kJ mol^{-1}
(b) 100 kJ mol^{-1}
(c) 400 kJ mol^{-1}
(d) 800 kJ mol^{-1}

Q164. Magnesium reacts with an element (X) to form an ionic compound. If the ground state electronic configuration of (X) is $1s^2\ 2s^2\ 2p^3$, the simplest formula for this compound is
(a) Mg_2X_3
(b) MgX_2
(c) Mg_3X_2
(d) Mg_2X

Q165. Iron exhibits bcc structure at room temperature. Above 900°C, it transforms to fcc structure. The ratio of density of iron at room temperature to that at 900°C (assuming molar mass and atomic radii of iron remains constant with temperature) is
(a) $\sqrt{3} / \sqrt{2}$
(b) $4\sqrt{3} / 3\sqrt{2}$
(c) 1 / 2
(d) $3\sqrt{3} / 4\sqrt{2}$

Q166. Consider the following species :

CN^+, CN^-, NO and CN

Which one of these will have the highest bond order ?

(a) NO

YourMockTest.com – Free Study Material

(b) CN^-
(c) CN
(d) CN^+

Q167. Which one is a wrong statement ?

(a) Total orbital angular momentum of electron in ‘s’ orbital is equal to zero.
(b) An orbital is designated by three quantum numbers while an electron in an atom is designated by four quantum numbers.
(c) The value of m for dz2 is zero.
(d) The electronic configuration of N atom is
1s2 2s2 2p1x 2p1y 2p1z
↑↓ ↑↓ ↑ ↑ ↓

Q168. The correct difference between first- and second-order reactions is that

(a) the rate of a first-order reaction does not depend on reactant concentrations; the rate of a second-order reaction does depend on reactant concentrations
(b) the half-life of a first-order reaction does not depend on [A]0; the half-life of a second-order reaction does depend on [A]0
(c) the rate of a first-order reaction does depend on reactant concentrations; the rate of a second-order reaction does not depend on reactant concentrations
(d) a first-order reaction can be catalyzed; a second-order reaction cannot be catalyzed

Q169. In which case is the number of molecules of water maximum ?

(a) 18 mL of water
(b) 0·18 g of water
(c) 10^-³ mol of water
(d) 0·00224 L of water vapours at 1 atm and 273 K

Q170. Among CaH2, BeH2, BaH2, the order of ionic character is

(a) BeH2 < CaH2 < BaH2
(b) CaH2 < BeH2 < BaH2
(c) BaH2 < BeH2 < CaH2
(d) BeH2 < BaH2 < CaH2

Q171. Consider the change in oxidation state of Bromine corresponding to different emf values as shown in the diagram below :
BrO4– 1·82 V → BrO3– 1·5 V → HBrO
Br– 1·0652 V ? Br2 1·595 V ?
Then the species undergoing disproportionation is

(a) BrO3–
(b) BrO4–
(c) HBrO
(d) Br2

Q172. The solubility of BaSO4 in water is 2·42 × 10^-³ gL^-¹ at 298 K. The value of its solubility product (K_{sp}) will be (Given molar mass of BaSO4 = 233 g mol^-¹)

(a) 1·08 × 10^-¹^0 mol² L^-²
(b) 1·08 × 10^-¹² mol² L^-²
(c) 1·08 × 10^-^8 mol² L^-²
(d) 1·08 × 10^-¹^4 mol² L^-²

Q173. Following solutions were prepared by mixing different volumes of NaOH and HCl of different concentrations :
a. 60 mL M/10 HCl + 40 mL M/10 NaOH
b. 55 mL M/10 HCl + 45 mL M/10 NaOH
c. 75 mL M/5 HCl + 25 mL M/5 NaOH
d. 100 mL M/10 HCl + 100 mL M/10 NaOH

YourMockTest.com — Free Study Material

pH of which one of them will be equal to 1 ?

(a) b
(b) a
(c) c
(d) d

Q174. On which of the following properties does the coagulating power of an ion depend ?

(a) The magnitude of the charge on the ion alone
(b) Size of the ion alone
(c) The sign of charge on the ion alone
(d) Both magnitude and sign of the charge on the ion

Q175. Given van der Waals constant for NH3, H2, O2 and CO2 are respectively 4·17, 0·244, 1·36 and 3·59, which one of the following gases is most easily liquefied ?

(a) NH3
(b) H2
(c) CO2
(d) O2

Q176. Iron carbonyl, Fe(CO)5 is

(a) tetranuclear
(b) mononuclear
(c) dinuclear
(d) trinuclear

Q177. The type of isomerism shown by the complex [CoCl2(en)2] is

(a) Geometrical isomerism
(b) Coordination isomerism
(c) Linkage isomerism
(d) Ionization isomerism

Q178. Which one of the following ions exhibits d-d transition and paramagnetism as well ?

(a) CrO4²^-
(b) Cr2O7²^-
(c) MnO4²^-
(d) MnO4^-

Q179. The geometry and magnetic behaviour of the complex [Ni(CO)4] are

(a) square planar geometry and diamagnetic
(b) tetrahedral geometry and diamagnetic
(c) tetrahedral geometry and paramagnetic
(d) square planar geometry and paramagnetic

Q180. Match the metal ions given in Column I with the spin magnetic moments of the ions given in Column II and assign the correct code :

Column I	Column II
a. Co³^+	i. √8 B.M.
b. Cr³^+	ii. √35 B.M.
c. Fe³^+	iii. √3 B.M.
d. Ni²^+	iv. √24 B.M.
	v. √15 B.M.

a b c d

(a) iv v ii i
(b) i ii iii iv
(c) iii v i ii
(d) iv i ii iii

ANSWER KEY

1	b	2	a	3	b	4	a	5	d	6	a	7	a	8	c	9	b	10	a
11	–	12	b	13	d	14	–	15	b	16	b	17	b	18	c	19	a	20	b
21	a	22	a	23	–	24	–	25	c	26	c	27	–	28	c	29	b	30	d
31	b	32	a	33	c	34	b	35	–	36	a	37	a	38	–	39	a	40	c
41	b	42	–	43	b	44	c	45	c	46	c	47	a	48	a	49	d	50	–
51	d	52	c	53	b	54	a	55	c	56	d	57	d	58	a	59	b	60	a
61	b	62	b	63	a	64	c	65	–	66	a	67	–	68	–	69	a	70	b
71	a	72	d	73	c	74	–	75	b	76	a	77	c	78	c	79	c	80	c
81	a	82	b	83	d	84	b	85	b	86	b	87	c	88	a	89	–	90	–
91	b	92	b	93	a	94	a	95	c	96	d	97	d	98	a	99	c	100	b
101	d	102	b	103	c	104	a	105	b	106	a	107	b	108	c	109	c	110	a
111	c	112	c	113	c	114	b	115	a	116	b	117	b	118	a	119	c	120	b
121	a	122	c	123	d	124	b	125	–	126	a	127	d	128	c	129	a	130	a
131	c	132	b	133	d	134	a	135	b	136	a	137	c	138	d	139	d	140	a
141	b	142	a	143	c	144	d	145	b	146	c	147	c	148	c	149	–	150	a
151	b	152	–	153	a	154	–	155	c	156	–	157	–	158	c	159	b	160	a
161	b	162	c	163	d	164	c	165	d	166	b	167	–	168	b	169	a	170	a
171	–	172	a	173	c	174	d	175	a	176	b	177	a	178	c	179	b	180	a

More previous year papers and mock tests: **www.yourmocktest.com/pyq**

YourMockTest.com – Free Study Material